It's All About Prevention

The Resource Conservation and Recovery Act Subtitle C – Hazardous Waste Management

Charlotte Mooney
Chief, Cleanup Programs Branch, US EPA
ELI Summer School Series – Hazardous Waste and Sites
July 21, 2022

Agenda

- Overview
- What is Hazardous Waste?
- O Who is Regulated, and How?
- The Definition of Solid Waste and Recycling
- Subtitle C Corrective Action
- Enforcement

Overview

Subtitle C Hazardous Waste Program

Basic Program


- Identify Hazardous Waste
- Track Waste from Cradle-to-Grave
- Proper Treatment, Storage, and Disposal
 - Design criteria (e.g., landfill liners, leachate collection)
 - Permits for Treatment, Storage, and Disposal Facilities (TSDF)
 - Land Disposal Restrictions (LDR)
 - Treat hazardous wastes before land disposal (e.g., incineration, stabilization)
- Corrective Action for Past and Present Releases at TSDFs

Subtitle C Hazardous Waste Program

- National minimum standards
 - EPA develops regulations
 - States are authorized to implement in lieu of EPA
 - States can be more stringent
 - Some site-specific flexibility
- Complex set of regulations
- Some chemicals/wastes regulated by other EPA programs
 - Example: PCBs, asbestos (Toxic Substances Control Act, TSCA)

What is Hazardous Waste?

What is a Hazardous Waste under RCRA Subtitle C?




Definition of Hazardous Waste

- In order for a material to be classified as a hazardous waste, it must first be a solid waste
 - A solid waste is any solid, liquid, or contained gaseous material that is discarded
- A hazardous waste is a solid waste, which because of its quantity, concentration, or physical, chemical, or infectious characteristic may:
 - a) Cause, or significantly contribute to, an increase in mortality or serious irreversible, or incapacitating reversible, illness; or
 - b) Pose a substantial present or potential hazard to human health or the environment when improperly treated, stored, transported, or disposed of, or otherwise managed

Hazardous Wastes in RCRA

- Listed Wastes
- Characteristic Wastes




Listed Waste

- Listed wastes are wastes from identified generic industrial processes, wastes from certain industry sectors, and unused (commercial) chemical products and formulations (261, Subpart D)
- Three criteria to list a waste as hazardous:
 - Toxic Listed Waste: Waste that typically contains toxic chemicals at levels that could pose a threat to human health and the environment if improperly managed
 - Acute HW: The waste contains such dangerous chemicals that it could pose a threat to human health and the environment even when properly managed
 - The waste typically exhibits one of the four characteristics of HW: ignitability, corrosivity, reactivity, or toxicity

Characteristic Waste

- Characteristics properties that indicate a waste poses a threat if mismanaged
- There are four characteristics:
 - Ignitability
 - Corrosivity
 - Reactivity
 - Toxicity



Characteristic Waste (continued)

Ignitability

Wastes that can readily catch fire and sustain combustion.
 Includes liquids, compressed gases, and oxidizers

Corrosivity

 Liquid Wastes that can readily corrode or dissolve flesh, metal, or other materials such as aqueous solutions with a high or low pH

Reactivity

 Wastes that are unstable or are capable of detonation or explosive reaction or decomposition under certain conditions; or react violently, form potentially explosive mixtures, or generate toxic gases, vapors, or fumes when mixed with water

Toxicity:

Wastes that potentially can leach toxic chemicals into groundwater when managed improperly

Who is Regulated, and How?

RCRA Subtitle C Program

"Cradle-To-Grave" Waste Management

- The path taken by hazardous waste, from start to finish, is regulated:
 - Generators of Hazardous Waste (e.g., factory)
 - Transporters of Hazardous Waste (e.g., truck)
 - Facilities that Treat, Store, or Dispose of Hazardous Waste (e.g., landfill, incinerator)
- The Basics: All Must Notify, Get Identification Number, Use Hazardous Waste Manifest, Comply with Appropriate Requirements

Prevention: Cradle-to-Grave Tracking

- Hazardous Waste Manifest System systems and procedures to track hazardous waste from generation to final disposal
- Uniform Hazardous Waste Manifest multipart, multicopy form required by both DOT and EPA
 - type and quantity of waste, instructions for handling, and signatures of all parties
 - each party must keep a copy
- Once the waste reaches its destination, the receiving facility returns a signed copy of the manifest to the generator, confirming that the waste has been received

Uniform Hazardous Waste Manifest EPA Form 8700-22

INF	FM HAZARDOUS STE MANIFEST				L Pape 1 st	1 Englant from	- rive	A Reporter	Tunny but	-	
	NOTE THE PERSON NAMED IN	-				Security States	a) the li	w have an	-		
	nos Plane										
Chargest Flore								III Dictricine			
T No.	ert Consti	re.						ULDI-Chrise			
_								1			
Des	protect with female	ori Dischalassa						13.5940	100		
_	(Plane					1 22		11.784			
ts. rec.	ent Pedicy Vena II	 XXT Decryster (relating Proper Straying Name, Houset Days, 67%) Noting Wood (Flery) 			<u> </u>	10.0	N Sentent		G.046 95/46	D machine	
								1	1	-	
+						_	+		\vdash		
٦											
- 1	1										
	DENTH SOME	OW'S CODENNIA	MOR Tuesty III	See that the surround	fit organi	of the second	to the to	ni mi magar	Highly seek.	H 10-34	offst jefe
	Octobrilla (Control	OW'S ODDERN'S	MICH Three in all the party to all the party in all the p	jes that the consoning a stabillier to temper the term with sell and 200 (Tau III) and	scoring's auto- sized DNAbour	otto-enimolopia ara extense il Curserii.	mos pero	med arbitrary	Majorijoranis, il n. francet tifor		offset partie per the Person
1 0	Octobrilla (Control	OW'S ODDERN'S	MICH Three in all the party to all the party in all the p	or such district the free region. The left is before all this will	scoring's auto- sized DNAbour	otto-enimolopia ara extense il Curserii.	mos pero	med arbitrary	elignijnenij i s Fesset Dije	H 61-30	offset parties per fine from
	O-ENATOR SOFTEN	OW'S COMMISS. WHEN AND DAY TO SERVE AND THE	MIDN Threely mile of September 1 and	or such district the free region. The left is before all this will	scoring's auto- sized DNAbour	otto-menufone and express of Sursers exists in St ST area (SESS)	und party p	med arbitrary	Highly rains, it		offset parties per fine freeze
1 10	CANADA SOFTE SHALL	com to communication of the co	MIDN Threely mile of September 1 and	or such district the free region. The left is before all this will	Dispertee	other-memorals and extenses of Consent codes in Int IT area token	and party p	med arbitrary	engrejnane, o	-	1
The state of the s	Ognilium soften whether the state of the artificial through the state of the state	COM IS CONTROLL AND SEAL AND S	MIDN Threely mile of September 1 (1) and the september 1 (1) and 1	or such district the free region. The left is before all this will	Dispertee	otto-menufone and express of Sursers exists in St ST area (SESS)	und party p	med arbitrary	engrejnance n. Frejet plyn		1
The same	CANADA SOFTE SHALL	COM IS CONTROLL AND SEAL AND S	MIDN Threely mile of September 1 (1) and the september 1 (1) and 1	or such district the free region. The left is before all this will	Dispertee	other-memorals and extenses of Consent codes in Int IT area token	und party p	med arbitrary	Majorija versita ili di salah	-	1
T In	Octobrillar Softman strain for Softman strai	OF E CONTROL AND SELF OF THE C	WOR Torsey on of hapton a repromise of the company	vaniarity vanja vania terusiha di PH 26 (Va. Pi de e	Sign (Street Service)	othe-mandrial and suggest of Corners codes on Int III array Chara. Desc. Desc. State	und party p		. Feest De	-	The Top
The state of the s	OpenAtion Softens when you have been assessed to see the season of the s	OF E CONTROL AND SELF OF THE C	MIDN Threely mile of September 1 (1) and the september 1 (1) and 1	or such district the free region. The left is before all this will	Sign (Street Service)	uthe-emission of Contest. sequent of Contest. sequent of Contest. Date: Sequent of S	most ports or respect	med arbitrary	. Feest De	-	1
The state of the s	Octobrillar Softman strain for Softman strai	OF E CONTROL AND SHARE AND	WOR Torsey on of hapton a repromise of the company	vaniarity vanja vania terusiha di PH 26 (Va. Pi de e	Sign (Street Service)	othe-mandrial and suggest of Corners codes on Int III array Chara. Desc. Desc. State	most ports or respect		union	-	The Top
The second	October 19 Control of the Control of	CONTROL CONTRO	MNON I havely to all process of inspects to expect to expe	vaniarity vanja vania terusiha di PH 26 (Va. Pi de e	Sign (Street Service)	uthe-emission of Contest. sequent of Contest. sequent of Contest. Date: Sequent of S	most ports or respect	Three h	union		To the Land
The State of the S	Delivation (or Tables) and of the Control of the C	CONTROL CONTRO	MONE Travely me de hapcon in proper de hapcon in proper de hapcon in proper de la confider de la	v milika in savajuna v sa kara in savajuna v	Scarting or specific property of the control of the	disconnector est description de la consecución del consecución de la consecución de la consecución de la consecución del consecución de la	mod ports or service o	Three h	union	-	To the Land
Total Control of the	Delivation (or Tables) and of the Control of the C	CONTROL CONTRO	MONE Travely me de hapcon in proper de hapcon in proper de hapcon in proper de la confider de la	vaniarity vanja vania terusiha di PH 26 (Va. Pi de e	Scarting or specific property of the control of the	disconnector est description de la consecución del consecución de la consecución de la consecución de la consecución del consecución de la	mod ports or service o	Three h	union		To the Land
To the last of the	Detail as soft tax assumed a service of tax as	COME & CONTROL AND SEASON OF THE CONTROL AND	MODE 1 have by an of the spectra of any process of the spectra of any process of the spectra of any process of the spectra of	v milika in savajuna v sa kara in savajuna v	Scanding or specific property of the control of the	disconnected and administrative administrative and administrative administrative and administrative admin	respect series of the series o	Rysa h	union		E De

Prevention: Cradle-to-Grave Tracking

e-Manifest

- On June 30, 2018, EPA launched a national system for tracking hazardous waste shipments electronically
- Established by the 2012 Hazardous Waste Electronic Manifest Establishment Act
- o Two options:
 - Fully electronic e-signed by all handlers
 - Hybrid e-signed by initial transporter and subsequent handlers
- Costs recovered through user fees
- Benefits cost savings, increased accuracy and timeliness, rapid notification of problems, integration with other reporting

Generator Regulations

- A generator is a person, by site, whose act or process produces hazardous waste or whose act first causes a hazardous waste to become subject to regulation
- 3 types of generators based on how much HW is generated each month:
 - Very small quantity generators (VSQGs)
 - < 100 kilograms (kg) or 220 pounds (lbs) per month
 - Small quantity generators (SQGs)
 - 100 1,000 kg or 220 2,200 lbs per month
 - Large quantity generators (LQGs)
 - > 1,000 kg or 2,200 lbs per month

Generator Regulations (Continued)

- Depending on generator category, the regulations require:
 - Identification Numbers
 - Waste accumulation time and quantity limits
 - Contingency/emergency plans, regular inspections
 - Employee training
 - Technical and closure requirements for waste management units
 - Compliance with land disposal standards (LDRs)
 - Tracking hazardous waste manifest

Hazardous Waste Transporters

- Transporters must:
 - Have an EPA ID number
 - Use the hazardous waste manifest tracking system to document movement of hazardous waste from location to location
 - Comply with DOT regulations that set forth standards for vehicles, packaging, and labeling

Treatment Storage Disposal Facilities


- Comprehensive standards for safe waste treatment and disposal to prevent releases
- Implemented through RCRA permits
- o Permits address:

- Recordkeeping
- Contingency Plan
- Manifests
- Training
- Reports to EPA
- •EPA ID number
- Security Requirements

- •Financial Assurance
- Closure plans
- Permit
- Inspections
- Operating criteria
- Design criteria
- Engineering Certifications


Prevention: Closure

- Clean closure remove waste and decontaminate site
- Waste-in-place treated waste remains in place
 - Install engineered closure systems
 - Post-closure care
 - maintain closure systems
 - monitor ground water
 - respond to releases if necessary



Prevention: Financial Assurance

- Owner/operator of permitted TSDF must maintain financial assurance that sufficient funds will be available to cover:
 - Closure
 - Post-closure care if necessary
 - Coverage for accidents
 - Liability:
 - Sudden accidental occurrences
 - Non-sudden accidental occurrences
- Financial instruments include trust funds, surety bonds, letters of credit, insurance



The Definition of Solid Waste and Recycling

The Basics

What do you need to know to determine if something is a solid waste for purposes of RCRA hazardous waste regulation?

- (1) What is the material?
- (2) What is being done with the material?

In most cases, <u>both</u> of these questions must be answered

- The same material might be a solid waste in some cases, and not others
- The same management practice might be solid waste management in some cases, and not others

40 CFR 261.2(c) Table 1

			<u> </u>	
			Reclamation (§261.2(c)(3)),	
	Use		except as	
	constituting	Energy	provided in §§261.4(a)(17),	Speculative
	disposal	recovery/fuel	261.4(a)(23), 261.4(a)(24) or	accumulation
	(§261.2(c)(1))	(§261.2(c)(2))	261.4(a)(27)	(§261.2(c)(4))
Spent Materials	(*)	(*)	(*)	(*)
Sludges (listed in 40 CFR Part	(*)	(*)	(*)	(*)
261.31 or 261.32)				
Sludges exhibiting a	(*)	(*)		(*)
characteristic of hazardous				
waste				
By-products (listed in 40 CFR	(*)	(*)	(*)	(*)
261.31 or 261.32)				
By-products exhibiting a	(*)	(*)	_	(*)
characteristic of hazardous				
waste				
Commercial chemical products	(*)	(*)	_	
listed in 40 CFR 261.33				
	(*)	(*)	(*)	(*)
Scrap metal that is not	(*)	(*)	(*)	(*)
excluded under 40 CFR				
261.4(a)(13)				26

Legitimate recycling

 No matter what type of recycling - in order to be excluded or subject to reduced requirements, the recycling must be legitimate and not sham.

<u>Legitimate</u>: Lead-contaminated foundry sands reused in foundry molds



Sham: Lead-contaminated foundry sands reused as playground sand



Legitimate recycling

Factor 1: Materials must provide a <u>useful contribution</u> to the recycling process or to a product or intermediate (40 CFR 260.43(a)(1))

Factor 2: Recycling must <u>produce a valuable product</u> or intermediate (40 CFR 260.43(a)(2))

Factor 3: Materials must <u>be managed as valuable commodities</u> (40 CFR 260.43(a)(3))

Factor 4: Products of recycling don't contain significant concentrations of hazardous constituents (40 CFR 260.43(b))

^{*}Must meet Factors 1-3 and must consider Factor 4 to be legitimate recycling

Subtitle C Corrective Action


Prevention – Corrective Action

Corrective action addresses cleanup of past and present releases from RCRA Treatment, Storage, and Disposal Facilities





Corrective Action - TSDFs



Corrective Action

o HSWA provisions:

- Section 3004(u) requires corrective action through permit requirements for all releases of hazardous waste or constituents from any solid waste management units; permit may contain schedules of compliance
- Section 3004(v) requires corrective action through permit requirements for releases migrating beyond the facility boundary
- Section 3008(h) authorizes EPA to order corrective action, as necessary to protect human health and the environment, at interim status facilities

o Regulations:

- 40 CRT 264.101 Corrective Action for Solid Waste Management Units
- 40 CFR 264 Subpart S Special Provisions for Cleanup

Corrective Action – Basic Process

- Identify releases from Solid Waste Management Units (SWMU)
 - RCRA Facility Assessment (RFA)
- Characterize the site
 - RCRA Facility Investigation (RFI)
- Identify possible solutions or remedies
 - Corrective Measures Study (CMS)
- Select and perform a remedy
 - Corrective Measures Implementation (CMI)


Corrective Action Measures

- Environmental Indicators (EI)
 - Human Exposures Under Control ensures that people near a particular facility are not exposed to unacceptable levels of contaminants
 - Migration Of Contaminated Groundwater Under Control ensures that contaminated groundwater does not spread and further contaminate groundwater resources
- Remedy Construction construction of the final remedy designed to achieve long-term protection of human health and the environment is complete
- Performance Standards Attained the cleanup objectives selected for protection of human health and the environment are met

Corrective Action Measures

Ready for Anticipated Use (RAU)

- Human Exposures Under Control EI has been met
- Cleanup goals have been achieved for media that may affect current and reasonably anticipated future land uses of the facility so that there are no unacceptable risks
- All institutional controls (IC), engineering controls (EC), or other controls, identified as part of a response action or remedy as required to help ensure long-term protection, are in place



Contact Info

Charlotte Mooney
Chief, Cleanup Programs Branch
Office of Resource Conservation and Recovery
US EPA
mooney.charlotte@epa.gov